

**fasttel**

Door Entry Systems



fasttel

210A

Fasttel  
Smart doorphones



1	2	3
4	5	6
7	8	9
*	0	#




BUITENPOST

## FT800(K)VC PRESTIGE



The Wizard Prestige is, in every respect, the flagship model within the Fasttel range. It is a unique combination of exclusive design and cutting-edge access control technology.

The 4" HD display and ready-to-use project software make it suitable for residential, commercial, and apartment projects alike.



### SPECIFICATIONS

1. Secured firmly with 4 anti-vandal screws.
2. Equipped with 4 microphones with echo cancellation.
3. The 160° HDR color camera with 1920x1080 resolution is discreetly integrated, ensuring visitors do not feel spied upon and deterring vandalism.
4. A second camera provides perfect facial recognition.
5. RFID badge reader (125Khz & 13.56 MHz MIFARE).
6. The multifunctional 4-inch HD color screen offers a warm welcome.  
**Bidirectional video is possible:**  
Show yourself to your visitor whenever you want!
7. The RGB backlit keyboard serves three functions: access control, telephone, and direct destination selection.
8. The 2mm glass front plate is tempered twice at high temperatures for lifetime durability.
9. The powerful speaker is adjustable in multiple steps.
10. The brushed aluminum or real bronze frame completes the elegant design.

### DIMENSIONS

#### Standard model

Overall dimensions for surface mounting: 280x124x42mm.

Recess dimensions for flush mounting: 269x113x38mm (HxWxD).



#### FT800BUS

This module allows for a choice between surface or flush mounting during installation. Included as standard.



#### FT800HW

Accessory for hollow walls (e.g., gate columns).

## OUTDOOR UNIT

# WIZARD PRESTIGE

Your door phone is the first impression you give to any visitor. Fasttel's use of durable and high-quality materials in the Wizard Prestige means the first impression is always great. This style icon does not include plastic. Instead, it features tempered glass and a choice of anodized aluminium or bronzed copper. No compromises.

Technologically, the Wizard Prestige is also top-notch. It can be deployed in any project. The 4" HD touch display, combined with its advanced smart software, makes this possible.

Choose from 4 preconfigured layouts :



1

## APARTMENT BUILDINGS

From 11 to 999 residents, names can be scrolled and searched in a local or cloud resident list.

The outdoor unit only needs to be connected to the internet. In case of absence, Fasttel can provide a 4G module. See the diagram on the right.

The installer or building manager can update the resident list from anywhere in the world, avoiding costly travel.




## FT600WA + FT600BS + FT600WPS

The indoor units are pre-programmed and only need to be powered via PoE or a fixed outlet.

This is especially handy for renovations: place the monitor with the optional stand wherever you want, and the apartment's WiFi connection does the rest. The savings on both cabling and labor hours are tremendous!

The indoor units will automatically find the outdoor unit(s) via our Fasttel cloud. No router settings are required, making the solution 100% secure.

# SUITABLE FOR ANY ENVIRONMENT REGARDLESS OF WIRING!



Connect the outdoor unit to an internet connection and link the indoor units to the apartment's WiFi.



2

## SINGLE-FAMILY HOME

Enter names and house number.  
Unleash your creative spirit and upload  
your own design.

3

## COMMERCIAL OR APARTMENT BUILDINGS

Up to 10 residents: visitors can make  
their choice immediately. Display names  
or upload a logo for each resident. The  
button size scales automatically, ensur-  
ing the display is always optimally used.

4

## B&B/HOTELS

Multiple ways to access: QR code  
scanner, badge reader, keypad, facial  
recognition, and Bluetooth – all are  
possible!

# MODELS

## WITHOUT KEYPAD



**FT800VC**

Black aluminum



**FTG800VC**

Gray aluminum



**FTBR800VC**

Bronze rustic



**FTBM800VC**

Bronze fusil



**FTBG800VC**

Bronze gold

## WITH KEYPAD



**FT800KVC**

Black aluminum



**FTG800KVC**

Gray aluminum



**FTBR800KVC**

Bronze rustic



**FTBM800KVC**

Bronze fusil



**FTBG800KVC**

Bronze gold



## ENLARGED MODEL

Very useful for replacing previous generation Fasttel Elite or Bronze series intercoms that are larger than the standard model.

Overall dimensions for surface mounting: 348x155x50mm.

Recess dimensions for flush mounting: 332x135x62mm (HxWxD).



FT600VK(K)  
VIDEOKITS




## VIDEOKITS

# FT600VK & FT600VKK

Looking for a classy product and yet very budget-friendly?

The FT600VK and FT600VKK video kit offers both. Its price will surprise you, but make no mistake. The finish of the outpost is and remains a real Fasttel: beautiful black anodized aluminum finished with real glass! Plastic doesn't stand a chance again.



## SPECIFICATIES

1. The 140° camera is very subtly concealed so that the visitor does not feel spied on and vandalism is not attracted.
2. The volume of the microphone can be adjusted independently of that of the loudspeaker.
3. A light sensor switches the camera to a perfect black and white night image in the dark.
4. With 4 anti-vandal screws, the outdoor station is firmly fixed.
5. With the optional keyboard 2 relays can be controlled.
6. The very powerful loudspeaker is adjustable in several steps.
7. The frame is made of brushed aluminum and glass.



## AFMETINGEN

The outdoor stations can be installed flush or surface mounted and this with 1 and the same frame.

**Total size:**  
216 x 116 x 31 mm (HxWxD)

**Recess to be provided for flush mounted model:**  
202 x 102 x 31 mm (HxWxD)



## FT600BUS

This module allows you to choose between built-in or surface-mounted. Delivered by default.



## FT600HW

Hollow wall accessory. (e.g. gate style)

## THE KIT FT600VK AND FT600VKK EACH CONSIST OF:




+



+



+



OUTDOOR UNIT  
FT600VC of FT600KVC

FT600W

7"inch video monitor  
(cat 5 POE or 12V wifi)

FT600SW

POE switch  
4 connections

FT600LIC4

4 licenses  
android/ IOS Apple

## UNIQUE FEATURES

- 100% Plug & Play: absolutely no programming required. Also not for the apps: scan the QR code and you're done. No need to create an account(s)! We respect your privacy.
- Both flush and surface mounting. Choose during installation!
- Only low cost kit with keypad.
- The outdoor unit is for a 100% made of aluminum and tempered glass. 0% plastic.
- Create access codes via the app from anywhere in the world: Set whether the code is valid once, for an hour, day, week or permanent.
- Integration with an external SIP server by license FT600UPGR: Integrate the door phone in your own SIP server. When you ring the doorbell, the door phone will call both our cloud (indoor unit + 4 apps) and the local telephones.
- Unlimited expandability.

## INDOOR STATIONS

SUPPLIED BY DEFAULT.



### FT600W

This 7" indoor unit is included as standard.

With this internal unit you can answer your visitor and view external cameras.



#### Dimensions:

200 x 132 x 18 mm (HxWxD)

UPGRADE TO THE ANDROID  
INDOOR STATION FT30CC.



### FT30CC

Do you require more from the indoor unit?

Then upgrade to this beautiful 10" Android indoor unit. This allows you to install any app(s) via the built-in Google Play store.

But there's more. Via a handy function you can set the app you use most as a preferred app. This app will then always be pushed to the foreground by the monitor.

The FT30CC can therefore perfectly serve as a control panel for your home automation, camera and/or alarm system.

Compatible with all home automation brands that offer an Android app.

#### Dimensions:

250 x 180 x 25 mm (HxWxD)

On pedestal: 250 x 220 x 140 mm (HxWxD)

INDOOR STATION ANYWHERE  
WITH WIFI!



### FT600W + FT600BS + FT600WPS

Place these indoor units wherever there is WIFI!


With the optional power supply **FT600WPS** and the handy table stand **FT600BS** (for **FT600W**) and **FT30CCDESK** (for **FT(B)30CC**) you can place the indoor unit wherever WIFI is available.

Plug it into a standard power outlet and you're done!


So you no longer need cabling.

# HOW TO INSTALL?


## ① NEW WIRING




## ② OLD WIRING



## ③ USING MONITOR AS WIFI-BRIDGE



## ④ 4G MODEM





## SIP OUTDOOR STATION: ENTRY

# FT600(K)SIP & FT600SIP-X FT600(K)SIPVC & FT600SIPVC-X




Looking for a classy product and yet very budget-friendly?

The FT600SIP and FT600KSIP are IP intercoms that can be connected to any desired cloud platform or PBX.

Its price will surprise you, but make no mistake: the finish of the outdoor station is and remains a real Fasttel: beautiful black anodized aluminum finished with real glass!

Plastic doesn't stand a chance again.



## SPECIFICATIONS

1. The optional 140° camera is very subtly concealed so that the visitor does not feel spied on and vandalism is not attracted.
2. The volume of the microphone can be adjusted independently of that of the loudspeaker.
3. A light sensor switches the camera to a perfect black and white night image in the dark.
4. With 4 anti-vandal screws, the outdoor station is firmly fixed.
5. With the optional keyboard 2 relays can be controlled.
6. The very powerful loudspeaker is adjustable in several steps.
7. The frame is made of brushed aluminum and glass.

## DIMENSIONS

The outdoor stations can be installed flush or surface mounted and this with 1 and the same frame.

**Total size:**  
216 x 116 x 31 mm (HxWxD)

**Recess to be provided for flush mounted model:**  
202 x 102 x 31 mm (HxWxD)



### FT600BUS

This module allows you to choose between built-in or surface-mounted.



### FT800HW

Accessory for hollow walls (e.g., gate columns).



fasttel


1	2	3	
4	5	6	
7	8	9	🔔
*	0	#	

RENF

# APPLICATIONS




**FT600W**  
7" IP kleuren monitor



**FT600LIC**  
App for smartphones



**SIP PBX**  
Ip telephone exchange



**FT9002A/4A**  
Door Access System Controller



**FT600KSIPVC**

**FT600SIPVC**



**CLOUD BPX**  
Cloud telephone exchange



**FTW30CC**  
10" SIP Android 12 color monitor: white



**FT30CC**  
10" SIP Android 12 color monitor: black

The outdoor stations have 2 SIP accounts that can be activated simultaneously. This creates the possibility to connect them to our Cloud environment, so that the customer can use the app on the smartphone, but also a simultaneous link to the customer's telephony environment. A 2M pixels Day/night camera is optional.

The intercom also has a wiegand connection so that the keypad can be reintegrated into the access control system of the end customer.

You are free to place it in all environments where SIP connections are possible. In short, a unique and beautiful design!

## SIP INDOOR STATIONS

# FT600(K)SIP & FT600SIP-X FT600(K)SIPVC & FT600SIPVC-X

### NO CAMERA



**FT600SIP**

1 button,  
no camera



**FT600KSIP**

1 button,  
with keyboard  
no camera



**FT600SIP-2**

2 buttons,  
no camera



**FT600SIP-3**

3 buttons,  
no camera



**FT600SIP-4**

4 buttons,  
no camera



**FT600SIP-5**

5 buttons,  
no camera

### INCLUDES COLOR CAMERA



**FT600SIPVC**

1 button,  
with camera



**FT600KSIPVC**

1 button,  
with keyboard  
and camera



**FT600SIPVC-2**

2 buttons,  
with camera



**FT600SIPVC-3**

3 buttons,  
with camera



**FT600SIPVC-4**

4 buttons,  
with camera



**FT600SIPVC-5**

5 buttons,  
with camera

## SIP INDOOR STATIONS

# FT600(K)SIPVC-L & FT600SIPVC-(2)(3)(4)(5)-L

The standard model, measuring 216x116 mm, is highly compact and user-friendly. However, it is often too small to completely cover the openings of older intercom systems. To address this, we offer an extra-large variant for each model.

These larger versions also provide the option to integrate additional modules, such as a fingerprint reader, badge reader, personalized text (e.g., opening hours), status indicators (e.g., absent/occupied/inside), and more. Fasttel offers fully customized solutions to meet your needs.

## INCLUDES COLOR CAMERA



**FT600SIPVC-L**

1 button, with camera

With FTPROXI option: Mifare Wiegand reader



**FT600KSIPVC-L**

1 button, with keypad, with camera


With FTNAME option: customizable text, e.g., house number + logo



**FT600SIPVC-2-L**

2 buttons, with camera


With the option FTEKEY: Ekey fingerprint reader



**FT600SIPVC-3-L**


3 buttons, with camera

With the option status indicator lights



**FT600SIPVC-4-L**



4 buttons, with camera



**FT600SIPVC-5-L**

5 buttons, with camera

Among others compatible with:



SONOS



basalte

Qbus



## INDOOR STATION

# FT30CC: COMMANDER




We are often being told that Fasttel products just get better and better... So every time we come up with something new, we have a reputation to keep up.

That's why we're thrilled to introduce the COMMANDER – our most innovative product yet!

The COMMANDER is an all-in-one device that has no equal: among other things, it makes recordings of your visitors, displays all the cameras around your property, is a phone, provides a connection to any home automation system, and is an alarm clock. Apps from other parties can also be installed via the open android structure.

## SPECIFICATIONS

1. 10" HD 1280x800 touchscreen. Only 12mm thick (4GB RAM + 16GB ROM) + Wi-Fi 6 + Bluetooth.
  2. Choose your front finish: aluminium or bronze.
  3. Wall mounted or table version available.
  4. Visitors are always perfectly visible thanks to the 160° camera built in to every Fasttel IP outdoor unit allowing you to choose whether to grant or refuse entry.
  5. Recordings of the visitor are stored on the internal HD and can be used later as evidence.
  6. Up to 50 external IP cameras can be integrated. Quad view and manual recording possible.
  7. Voice assistance for handsfree control.
  8. Four loudspeakers and two microphones deliver an unparalleled audio experience.
  9. Integrated SIPserver and hands-free phone with contacts list.
  10. Android 12 operating system: installation of third-party apps possible via Google Play Store! Including home automation apps, SONOS, Skype, heating, internet browser, email etc.
  11. Adjustable motion sensor for ultimate ease of use.
- ✓ Alarm clock function.
  - ✓ Can be used with third-party door phones.
  - ✓ Fits into both modern and classic interior.
  - ✓ PoE wiring or 12V
  - ✓ Automatic detection of ONVIF camera's, display of RTSP camera's.



## DIMENSIONS

### ON THE WALL

Height: 165 mm  
Width: 278 mm  
Depth: 12 mm

### ON A PEDESTAL

Height: 180 mm  
Width: 278 mm  
Depth: 140 mm

## INDOOR STATION

# COMMANDER

### ✓ Wall or table model.

The commander can be placed on the wall or on a desk pedestal.

### ✓ All in one indoor monitor.

10" Hd all in one indoor station: videophone, recordings, telephone, camera surveillance, relay activations, alarm clock, Android tablet.

Choose 1 app of your choice as the main app.  
The COMMANDER will continue to push this to the foreground.

### ✓ Standard finish:



Black, white or champagne aluminium  
Bronze matte  
Bronze rustic matte  
Bronze gold matte

### ✓ Extra colour variations:

Choose any RAL color.


### ✓ Place the screen where it suits you!

Network cabling is no longer necessary.  
The FT600WPS is connected to a normal power socket.  
The WiFi 6 technology does the rest.




FTBG30CC

Finishing: bronze gold matte



FTBR30CC

Finishing: bronze rustic matte



WiFi 6 is designed for better speed, coverage and integration even when there are many devices in the WiFi network.

## PURE CRAFTSMANSHIP

Copper is very difficult to fold, so the production of this 1.6 kg (!) bronze pedestal requires pure craftsmanship.



**FTCH30CC +  
FTCH30CCDESK**

Finishing: champagne anodised aluminium



**FTW30CC +  
FTW30CCDESK**

Finishing: white painted aluminium



**FTBG30CC +  
FTBG30CCDESK**

Finishing: bronze gold matte



**FTBR30CC +  
FTBR30CCDESK**

Finishing: bronze rustic matte

# COMMANDER


## GOOGLE PLAY STORE

With the Google Play Store you have access to thousands of apps. 1 app can be chosen as the main app that is always pushed to the foreground.




## MAIN SCREEN

Direct access to telephone and videophone function, visitor images, system info, third party cameras and installed apps.




## RECORDINGS

Each visit is recorded on the internal or micro SD memory and can be used as evidence at a later time.



## TELEPHONY

Hands-free phone with contact list and an overview of all calls.



## CAMERAS (ONVIF AND RTSP)


Up to 50 external IP cameras can be integrated. Quad playback and manual recording is possible.

Click on a camera and it is displayed full screen. You can then scroll full screen again or go back to quad view.



## SETTINGS

Personalize the settings both on the screen itself and via the built-in web browser.



## OPEN ANDROID 12

Do you wish to integrate your own application or development exclusively? You can! Please contact Fasttel for this.

Forstle

210

Thibaut Courtois  
Michel Gerzic


Ring bell

1	2	3
4	5	6
7	8	9
*	0	#



# REGISTRATION COLUMNS

## EMPEROR



### FINISH

Registration column for Wizard Prestige in brushed stainless steel. The Wizard Prestige becomes a single unit with the registration column such that the aluminium frame around the Prestige is no longer required.

### FTEMPEROR

Column for pedestrians.

1900 x 170 x 100mm  
(HxWxD)

### FTEMPERORS

Column for control from a vehicle.

1500 x 170 x 100mm  
(HxWxD)

### FTEMPEROR - B

Column for control from a lorry and car.

2440 x 170 x 100mm  
(HxWxD)

### FTEMPEROR-PROXI

Column with additional glass plate for optional glass reader.

1900 x 170 x 100mm  
(HxWxD)

### FTEMPERORS-PROXI

Column with additional glass plate for optional proxy reader.

1500 x 170 x 100mm  
(HxWxD)

### FTEMPEROR-DIS

Column with integrated name plate.

1500 x 170 x 100mm  
(HxBxD)

# UNIVERSAL REGISTRATION COLUMNS



## FTEMPEROR-U

Column for pedestrians. The front has one opening for cabling. The back can be completely removed.

1900 x 170 x 100mm  
(HxWxD)



## FTEMPEROR-US

Column for control from a vehicle. The front has one opening for cabling. The back can be completely removed.

1500 x 170 x 100mm  
(HxWxD)



## FTEMPEROR-UB

Column for control from a lorry and car. The front has two openings for cabling. The back can be completely removed.

2500 x 170 x 100mm  
(HxWxD)




## FTEMPEROR-V

Stainless steel base for all FTEMPEROR columns. This reinforces the stability of the registration column.

250 x 180 x 8mm  
(HxWxD)

15





# CODE KEYPADS



## KEYPAD IN GLASS



**FTB25K**

Dimensions:  
150 mm x 150 mm x 65 mm  
(HxWxD)

## KEYPAD FT24K BRONZE



**FTBR24K**

Dimensions:  
143 mm x 143 mm x 65 mm  
(HxWxD)



**FT25KINT**

Remote module  
with 2 relays



**FT25KIBS**

Built-in frame for  
FT24K/FT25K



**FT25KBUS**

Surface-mount frame  
for FT24K/FT25K

## KEYPAD FT23K BRONZE & ALUMINUM: 2 RELAYS OR WIEGAND

### BUILT-IN MODEL



**FTBR23KF**

Dimensions:  
165 mm x 55 mm  
(HxW)



**FTB23KF**

Dimensions:  
165 mm x 55 mm  
(HxW)



**FTBM23KPBK**

With extra push  
button  
Dimensions:  
191 mm x 55 mm  
(HxW)



**FTBG23KF-  
PROXI**

With integrated  
badge reader  
Dimensions:  
211 mm x 55 mm  
(HxW)



**FTBM23KPBK-  
PROXI**

With extra push  
button and integrated  
badge reader  
Dimensions:  
238 mm x 55 mm (HxW)

### SURFACE-MOUNT MODEL



**FTBG23K**

Dimensions:  
136 mm x 55 mm  
(HxW)



**FTB23K**

Dimensions:  
136 mm x 55 mm  
(HxW)

**fasttel**

Door Entry Systems

FASTTEL BELGIUM (Headquarters)

Klipsenstraat 18A, 9160 Lokeren | T +32 (0)9 244 65 20

info@fasttel.com | www.fasttel.com

[shop.fasttel.com](https://shop.fasttel.com)